



Republic of the Philippines
NATIONAL PRIVACY COMMISSION
BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL/BID BULLETIN NO. 001-2022

DATE : 11 October 2022

SUBJECT: SUPPLY AND INSTALLATION OF MODULAR TYPE WORKSTATIONS AT NPC OFFICE

After considering the clarifications and recommendations made during the Pre-Bid Conference dated 6 October 2022 for this procurement, the National Privacy Commission – Bids and Awards Committee (NPC-BAC) hereby issues this Supplemental/Bid Bulletin clarifying provisions in the Bidding Documents, to wit:

1. 2-Seater Workstation (Modular Type)

CLARIFICATION/ QUESTION	ADDENDUM/AMENDMENT/ ANSWER
What is the position of the seats? Side by side or facing each other?	-Seats must be side-by-side
What is the thickness of the tabletop of the workstations?	-Thickness for the tabletop is at least 2.0 cm. -Length should be 120cm. -Width should be 60cm.
What is the thickness of the sidings or footings of the workstations?	-not less than 3.2cm but not to exceed 5.0cm
What is the height of the workstations?	-The height for the workstations should be 120cm inclusive of the glass partition and 4cm. footing
Location of the raceway	-Raceway should be at the bottom part of the workstation
Location of the grommet	-Grommet can be anywhere (left, right or center) of the front-end of the tabletop
Are the workstations two-tone?	-One color fabric, either red or blue

Ref No.: BAC-22-00428

The original of this document is in digital format
NPC_BAC_SBB-V1.0, R0.0, 05 May 2021

Attached are the actual pictures of the sample. Almost the same appearance and dimensions except for the single fabric color (red or white) and no longer two-tone.





2. **6-Seater Workstations (Modular Fishbone Type)**

CLARIFICATION/ QUESTION	ADDENDUM/AMENDMENT/ ANSWER
What is the thickness of the tabletop of the workstations?	-Thickness for the tabletop is at least 2.0 cm. -Length should be 120cm. per station -Width should be 60cm. per station
What is the thickness of the sidings or footings of the workstations?	-not less than 3.2cm but not to exceed 5.0cm
What is the height of the workstations?	-The height of the workstations should be 120cm inclusive of the glass partition and 4cm. footing
Location of the raceway	-Raceway should be at the bottom part of the workstation
Location of the grommet	-Grommet can either be located at the left or right side of the front-end of every station's tabletop
Are the workstations two-tone?	-One color fabric, either red or blue

Attached are the actual pictures of the sample. Almost the same appearance and dimensions except for the single fabric color (red or white) and no longer two-tone.



Ref No.: BAC-22-00428

*The original of this document is in digital format
NPC_BAC_SBB-V1.0, R0.0, 05 May 2021*

The foregoing shall form an integral part of the **Bidding Documents for Supply and Installation of Modular Type Workstations at NPC Office** for the National Privacy Commission. Any provision inconsistent herewith is hereby amended and superseded accordingly.

For the information and guidance of all concerned.

ATTY. MARIA THERESITA E. PATULA
Director IV, Legal and Enforcement Office
BAC Chairperson